

CSST-FLEXIBLE STAINLESS STEEL GAS TUBING

PRO-POLY UNDERGROUND GAS PIPING SYSTEMS

HEARTHMASTER FIREPLACE & HEARTH ACCESSORIES

GAS VALVES, REGULATORS AND APPLIANCE CONNECTORS

THE "ONE-STOP SHOP" FOR YOUR ROUGH-IN GAS PRODUCTS!

WWW.PROFLEXCSST.COM

1-877-798-6291 | SALES@PROFLEXCSST.COM





In 2014, Pro-Flex was acquired by the ownership of Sioux Chief Manufacturing. Based in Hillsboro, Indiana, Pro-Flex offers a corrugated stainless steel tubing (CSST) system for natural or propane gas that offers a flexible, labor-saving alternative to black steel pipe installations. Rigid steel installations require numerous fittings and cutting and threading of pipe which is extremely labor intensive. The fitting system and flexible quality of CSST eliminates the costs inherent with black steel pipe – labor savings alone can be up to 75%. Pro-Flex has been providing their tubing, fittings, and accessories to the plumbing, heating, propane & natural gas markets for more than 20 years.



LEAK-FREE CONNECTION... FIRST TIME, EVERY TIME

The Pro-FlexTM fitting system is the most forgiving, cost-effective, leak-eliminating system on the market today. Contact your local representative or give us a call for more information.


INSTALLATION AS EASY AS 1, 2, 3...



1. Strip and remove plastic coating in the fourth valley and slide on nut.



2. Place Retainer and Slide Ring in the fourth valley. Place o-ring in third valley. Ensure gasket is in fitting.



3. Hand tighten nut followed by additional 3/4 to a Full Turn with a pair of adjustable wrenches.

Mobile Sizing App

PRO-FLEX

- SIZE ANY JOB, ANYWEHRE, ON YOUR PHONE
- QUICK ACCESS TO FIELD RESOURCES
- HELPFUL TUTORIALS IN THE PALM OF YOUR HAND



Google Play Store



Apple App Store Search: "Pro-Flex Utility Belt"



CSST







STANDARDS

ANSI LC1 / CSA 6.26 Standard for "Fuel Gas Piping Systems Using Corrugated Stainless Steel Tubing"

LISTINGS

CSA - CSA Group Certificate of Compliance #1174673 IAPMO International Association of Plumbing & Mechanical Officials - File #3669

Pro-Flex[™]
Traditional CSST

FlakJacket™ Arc-resistant CSST

HearthMasterTM
Fireplace Keys, Flanges
Bars and Valves

Pro-PolyTM
Iderground Gas







- . COST-SAVING ALTERNATIVE WHEN ELECTRICAL BONDING IS REQUIRED
- EXTRAORDINARY LABOR SAVINGS COMPARED TO BLACK STEEL
- ANNEALED "NO SPRING BACK" TUBE BENDS AND STAYS BENT
- OFFERED IN VARIOUS LENGTHS INCLUDING 25'



PART #	TUBE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
PFCT-1225	1/2"	1/2" ID CSST Tubing x 25' coil	1	1
PFCT-1275	1/2"	1/2" ID CSST Tubing x 75' coil	1	1
PFCT-12150	1/2"	1/2" ID CSST Tubing x 150' coil	1	1
PFCT-12225	1/2"	1/2" ID CSST Tubing x 225' spool	1	1
PFCT-3425	3/4"	3/4" ID CSST Tubing x 25' coil	1	1
PFCT-3475	3/4"	3/4" ID CSST Tubing x 75' coil	1	1
PFCT-34150	3/4"	3/4" ID CSST Tubing x 150' spool	1	1
PFCT-34225	3/4"	3/4" ID CSST Tubing x 225' spool	1	1
PFCT-0125	1"	1" ID CSST Tubing x 25' coil	1	1
PFCT-0175	1"	1" ID CSST Tubing x 75' coil	1	1
PFCT-01150	1"	1" ID CSST Tubing x 150' spool	1	1
PFCT-011425	1 1/4"	1 1/4" ID CSST Tubing x 25' coil	1	1
PFCT-011475	1 1/4"	1 1/4" ID CSST Tubing x 75' coil	1	1
PFCT-0114	1 1/4"	1 1/4" ID CSST Tubing x 150' spool	1	1



Flak Jacket™ Arc-Resistant Black CSST

- NO ADDITIONAL BONDING REQUIREMENTS
- UTILIZES SAME RELIABLE FITTING SYSTEM AS THE YELLOW JACKET
- OFFERED IN VARIOUS LENGTHS INCLUDING 25'
- PROPRIETARY JACKET PROVIDES PROTECTION BY DISSIPATING ELECTRICITY



NEW!



NEW!

NEW!

	PART #	TUBE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
	PFARCT-1225	1/2"	1/2" ID CSST Tubing x 25' coil	1	1
	PFARCT-1275	1/2"	1/2" ID CSST Tubing x 75' coil	1	1
	PFARCT-12150	1/2"	1/2" ID CSST Tubing x 150' coil	1	1
	PFARCT-12225	1/2"	1/2" ID CSST Tubing x 225' spool	1	1
V!	PFARCT-12500	1/2"	1/2" ID CSST Tubing x 500' spool	1	1
	PFARCT-3425	3/4"	3/4" ID CSST Tubing x 25' coil	1	1
	PFARCT-3475	3/4"	3/4" ID CSST Tubing x 75' coil	1	1
	PFARCT-34150	3/4"	3/4" ID CSST Tubing x 150' spool	1	1
	PFARCT-34225	3/4"	3/4" ID CSST Tubing x 225' spool	1	1
V!	PFARCT-34500	3/4"	3/4" ID CSST Tubing x 500' spool	1	1
	PFARCT-0125	1"	1" ID CSST Tubing x 25' coil	1	1
	PFARCT-0175	1"	1" ID CSST Tubing x 75' coil	1	1
	PFARCT-01150	1"	1" ID CSST Tubing x 150' spool	1	1
V!	PFARCT-01500	1"	1" ID CSST Tubing x 500' spool	1	1
	PFARCT-011425	1 1/4"	1 1/4" ID CSST Tubing x 25' coil	1	1
	PFARCT-011475	1 1/4"	1 1/4" ID CSST Tubing x 75' coil	1	1
	PFARCT-0114150	1 1/4"	1 1/4" ID CSST Tubing x 150' spool	1	1

FITTINGS FOR USE WITH BOTH PRO-FLEX 1™ YELLOW CSST AND FLAK JACKET™ CSST



Male Fittings

PART#	TUBE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
PFMF-1212	1/2"	Male Fitting (1/2" MIP -3/8" FIP)	12	12
PFMF-3406	3/4"	Male Fitting (3/4" MIP - 1/2" FIP)	6	6
PFMF-0106	1"	Male Fitting (1" MIP - 3/4" FIP)	6	6
PFMF-0114	1 1/4"	Male Fitting (1 1/4" MIP - 1" FIP)	4	4



Female Fittings

PART #	TUBE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
PFFN-1212	1/2"	Female Fitting	12	12
PFFN-3406	3/4"	Female Fitting	6	6
PFFN-0106	1"	Female Fitting	6	6



Tees

PART#	TUBE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
PFTE-BBB6	1/2"	1/2" X 1/2" X 1/2" Pro-Flex Tee	6	6
PFTE-CCB6	1/2" / 3/4"	3/4" X 3/4" X 1/2" Pro-Flex Tee	3	3
PFTE-DDB6	1" / 1/2"	1" X 1" X 1/2" Pro-Flex Tee	6	6
PFTE-CBB6	3/4" / 1/2"	3/4" X 1/2" X 1/2" Pro-Flex Tee	6	6
PFTE-CCC6	3/4"	3/4" X 3/4" X 3/4" Pro-Flex Tee	6	6
PFTF-BBB6	1/2"	1/2" PF x 1/2" PF x 1/2" NPT Tee	6	6
PFTF-CCB6	3/4"	3/4" PF x 3/4" PF x 1/2" NPT Tee	6	6
PFTF-DDB6	1"	1" PF x 1" PF x 1/2" NPT Tee	6	6
PFTF-CBB6	3/4" / 1/2"	3/4" PF x 1/2" PF x 1/2" NPT Tee	6	6
PFTF-CCC6	3/4"	3/4" PF x 3/4" PF x 3/4" NPT Tee	6	6



Unions

PART#	TUBE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
PFUF-1212	1/2"	Union	12	12
PFUF-3406	3/4"	Union	6	6
PFUF-0106	1"	Union	6	6



Manifolds

PART #	TUBE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
PFMN-BBB6	1/2"	Cast Manifold 1/2" x (4)1/2" x 1/2"	6	6
PFMN-CCB6	3/4" / 1/2"	Cast Manifold 3/4" x (4)1/2" x 3/4"	6	6
PFMN-DDBB	1" / 1/2"	Cast Manifold 1" x (2)1/2" x 1"	3	3
PFMN-DDCC	1" / 3/4"	Cast Manifold 1" x (2)3/4" x 1"	3	3



Termination Plates with Fitting

PART #	TUBE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
PFST-12	1/2"	Special Term Plate with Fitting (1/2" MIP - 3/8" FIP)	6	6
PFST-34	3/4"	Special Term Plate with Fitting (3/4" MIP - 1/2" FIP)	6	6
PFST-01	1"	Special Term Plate with Fitting (1" MIP - 3/4" FIP)	6	6



Termination Plates with Direct Connect Valve

PART #	TUBE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
PFVT-1206	1/2"	Special Term Plate with Direct Connect Valve	6	6
PFVT-3406	3/4"	Special Term Plate with Direct Connect Valve	6	6



Gas Outlet Boxes

PART #	TUBE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
PFOX-1206	1/2"	Gas Ox Box 1/2" NPT w/ PF Fitting & Valve	6	6
PFOX-1206FR	1/2"	Fire Rated Gas Ox Box 1/2" NPT w/ PF Fitting & Valve	6	6
PFOX-3406	3/4"	Gas Ox Box 3/4" NPT w/ PF Fitting & Valve	6	6



NEW! SQUARE PLATE with FITTING

PART #	TUBE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
PFQT-12	1/2"	Square Plate with Fitting (1/2" MIP - 3/8" FIP)	6	6
PFQT-34	3/4"	Square Term Plate with Fitting (3/4" MIP - 1/2" FIP)	6	6
PFQT-01	1"	Square Term Plate with Fitting (1" MIP - 3/4" FIP)	6	6
PFQT-0114	1 1/4"	Square Term Plate with Fitting (1 1/4" MIP - 1" FIP)	4	4



NEW! ANGLE BRACKET with FITTING

PART #	TUBE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
PFBK-12	1/2"	Angled Mounting Bracket with Fitting (1/2" MIP - 3/8" FIP)	6	6





	PART #	TUBE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
	PFAS-12	1/2"	1/2" Appliance Stub 1/2" MIP x 1/2" MIP 90°	6	6
W!	PFAS-12F	1/2"	1/2" Appliance Stub 1/2" MIP x 1/2" PF 90° (Female fitting attached)	6	6
W!	PFAS-34F	3/4"	3/4" Appliance Stub 3/4" MIP x 3/4" PF 90° (Female fitting attached)	6	6
	PFAS-34	3/4"	3/4" Appliance Stub 3/4" MIP x 3/4" MIP 90°	6	6
	PFFS-12	1/2"	1/2" Fireplace Stub 1/2" MIP x 1/2" MIP 45°	6	6
	PFMS-1212	1/2"	1/2" Meter Stub x 12" Length (1/2" MIP x 1/2" MIP Straight)	6	6
	PFMS-3412	3/4"	3/4" Meter Stub x 12" Length (3/4" MIP x 3/4" MIP Straight)	6	6
	PFMS-0112	1"	1" Meter Stub x 12" Length (1" MIP x 1" MIP Straight)	6	6
	PFMS-011412	1 1/4"	1 1/4" Meter Stub x 12" Length (1 1/4" MIP x 1 1/4" MIP Straight)	6	6



Bonding Clamps

PART #	TUBE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
PFBC-AB	1/2"	Bonding Clamp - Small (fits 1/2"-1" rigid pipe	6	6
PFBC-CDE	3/4" / 1" / 1 1/4"	Bonding Clamp - Large (fits 1 1/4"-2" rigid pipe	6	6



Striker Plates

PART#	TUBE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
PFSP-0312	N/A	Striker Plate 3" x 12"	25	25
PFSP-0307	N/A	Striker Plate 3" x 7"	25	25
PFSP-0302	N/A	Striker Plate 3" x 2"	25	25
PFSP-0617	N/A	Striker Plate 6" x 17"	10	10



Floppy Protective

PART #	TUBE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
PFFF-1212	3/4"	Floppy Flex Protective Conduit 12"	12	12
PFFF-1512	1"	Floppy Flex Protective Conduit 12"	12	12
PFFF-0150	1/2" / 3/8"	Floppy Flex Protective Conduit 50'	1	1
PFFF-1225	3/4"	Floppy Flex Protective Conduit 25'	1	1
PFFF-1525	1"	Floppy Flex Protective Conduit 25'	1	1
PFFF-1725	1 1/4"	Floppy Flex Protective Conduit 25'	1	1



Sealing Tape - To Cover Exposed Stainless

PART #	TUBE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
PFRT-50P	N/A	Yellow Self Sealing Tape 1" x 50'	1	1
PFRTB-50P	N/A	Black Self Sealing Tape 1" x 50'	1	1



Replacement Components

PART # TUBE SIZE		DESCRIPTION	Min. Order Qty	Case Qty
PFAP-1210	1/2"	Accessory Pack (4 RR, 2 SR, 2 OR, 2 HTG)	6	6
PFOL-1206	1/2"	1/2" O-Ring Loader	6	6
PFAP-3410	3/4"	Accessory Pack (4 RR, 2 SR, 2 OR, 2 HTG)	6	6
PFOL-3406	3/4"	3/4" O-Ring Loader	6	6
PFAP-0110	1"	Accessory Pack (4 RR, 2 SR, 2 OR, 2 HTG)	6	6
PFOL-0106	1"	1" O-Ring Loader	6	6
PFAP-0114	1 1/4"	Accessory Pack (4 RR, 2 SR, 2 OR, 2 HTG)	6	6
PFOL-011404	1 1/4"	1 1/4" O-Ring Loader	4	4



PRO-POLY

UNDERGROUND GAS DISTRIBUTION PRODUCTS

- ½" CTS Poly Tubing
- 3/4" 2" IPS Poly Tubing
- Underground Compression Fittings
- Anodeless Service Risers
- Transition Fittings
- **Underground Accessories**







Single Source for CSST, Poly & Hearth Products

Pro-Flex™ Traditional CSST

FlakJacket™ **Arc-resistant CSST**

HearthMaster™ Fireplace Keys, Flanges **Bars and Valves**





INTRODUCING PRO-POLY UNDERGROUND GAS DISTRIBUTION SYSTEM

Polyethylene Gas Piping

NEW!

NEW!

NEW!

Min. Order Qty **Pallet** PART# **PIPE SIZE DESCRIPTION** Qty PECTS-12500 1/2" [CTS] .090 1/2" x 500' 15 1 PEIPS-34100 3/4" [IPS] SDR 11 3/4" x 100' 1 38 3/4" x 150' PEIPS-34150 3/4" [IPS] SDR 11 1 15 PEIPS-34300 3/4" [IPS] SDR 11 3/4" x 300' 10 1 3/4" x 500' PEIPS-34500 3/4" [IPS] SDR 11 1 8 PEIPS-01100 1" [IPS] SDR 11 1" x 100' 1 18 1" x 150' PEIPS-01150 1" [IPS] SDR 11 1 16 1" x 300' PEIPS-01300 1" [IPS] SDR 11 1 10 PEIPS-01500 1" [IPS] SDR 11 1" x 500" 1 8 PESDR10-0114150 1 1/4" [IPS] SDR 10 1 1/4" x 150' 1 15 PESDR10-0114300 1 1/4" [IPS] SDR 10 1 1/4" x 300' 1 9 PESDR10-0114500 1 1/4" [IPS] SDR 10 1 1/4" x 500' 1 8 PEIPS-0114150 1 1/4" [IPS] SDR 11 1 1/4" x 150' 15 1 PEIPS-0114300 1 1/4" [IPS] SDR 11 1 1/4" x 300' 1 9 PEIPS-0114500 1 1/4" [IPS] SDR 11 1 1/4" x 500' 1 8 1 1/2" x 150' PEIPS-015150 1 1/2" [IPS] SDR 11 1 12 1 1/2" x 300' PEIPS-015300 1 1/2" [IPS] SDR 11 1 8 PEIPS-015500 1 1/2" [IPS] SDR 11 1 1/2" x 500' 1 8 PEIPS-02200 2" [IPS] SDR 11 2" x 200' 1 8 2" [IPS] SDR 11 2" x 500' PEIPS-02500 4 4

Anodeless Service Risers

PART#	PIPE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
PERSR-12	1/2" [CTS] .090	1/2" CTS x 3/4" MPT	10	10
PERSR-34	3/4" [IPS] SDR 11	3/4" IPS x 3/4" MPT	8	8
PERSR-01	1" [IPS] SDR 11	1" IPS x 1" MPT	6	6
PERSR-0114	1 1/4" [IPS] SDR 11	1-1/4" IPS x 1-1/4" MPT	5	5
PERSR-015	1 1/2" [IPS] SDR 11	1-1/2" IPS x 1-1/2" MPT	4	4
PERSR-02	2" [IPS] SDR 11	2" IPS x 2" MPT	1	1
PERSR-BKT	1/2" - 2"	Riser Mounting Bracket	1	1

Transition Fittings

PART#	PIPE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
PETR-CTS12	1/2" [CTS] .090	3/4" MPT Steel Transition x 1/2" CTS .090	1	1
PETR-34	3/4" [IPS] SDR 11	3/4" MPT Steel Transition	1	1
PETR-01	1" [IPS] SDR 11	1" SMPT Steel Transition	1	1
PETR-0114	1 1/4" [IPS] SDR 11	1 1/4" MPT Steel Transition	1	1
PETR-015	1 1/2" [IPS] SDR 11	1 1/2" MPT Steel Transition	1	1
PETR-02	2" [IPS] SDR 11	2" MPT Steel Transition	1	1

Underground Compression Coupler



PART # TUBE SIZE		DESCRIPTION	Min. Order Qty	Case Qty
PECP2-34C	3/4" [IPS] SDR 11	Coupler [IPS] SDR 11	6	6
PECP2-01C	1" [IPS] SDR 11	Coupler [IPS] SDR 11	6	6
PECP2-0114C	1 1/4" [IPS] SDR 11	Coupler [IPS] SDR 11	1	1
PECP2-015C	1 1/2" [IPS] SDR 11	Coupler [IPS] SDR 11	1	1
PECP2-02C	2" [IPS] SDR 11	Coupler [IPS] SDR 11	1	1
PERCP2-DCC	1" x ¾" [IPS] SDR 11	Reducing Coupler [IPS] SDR 11	1	1



Underground Compression Tees

PART # TUBE SIZE		DESCRIPTION	Min. Order Qty	Case Qty
PETE2-34C	3/4" [IPS] SDR 11	Tee [IPS] SDR 11	3	3
PETE2-01C	1" [IPS] SDR 11	Tee [IPS] SDR 11	3	3
PETE2-0114C	1 1/4" [IPS] SDR 11	Tee [IPS] SDR 11	1	1
PETE2-015C	1 1/2" [IPS] SDR 11	Tee [IPS] SDR 11	1	1
PETE2-02C	2" [IPS] SDR 11	Tee [IPS] SDR 11	1	1
PERTE2-DDCC	1" x 1" x ¾" [IPS] SDR 11	Reducing Tee [IPS] SDR 11	1	1




Underground Compression Elbows

PART #	TUBE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
PEEL2-34C	3/4" [IPS] SDR 11	Elbow [IPS] SDR 11	3	3
PEEL2-01C	1" [IPS] SDR 11	Elbow [IPS] SDR 11	3	3
PEEL2-0114C	1 1/4" [IPS] SDR 11	Elbow [IPS] SDR 11	1	1
PEEL2-015C	1 1/2" [IPS] SDR 11	Elbow [IPS] SDR 11	1	1
PEEL2-02C	2" [IPS] SDR 11	Elbow [IPS] SDR 11	1	1

Underground Accessories

PART#	ART # PIPE SIZE DESCRIPTION		Min. Order Qty	Case Qty
PFSFTY-14GA100	N/A	Burial Tracer Wire, 14 GA, 100'	1	1
PFSFTY-14GA300	N/A	Burial Tracer Wire, 14 GA, 300'	1	1
PFSFTY-2DET100	N/A	2" x 100' 5.0 MIL - Mag Detectable Yellow Safety Tape	1	1
PFSFTY-2DET300	N/A	2" x 300' 5.0 MIL - Mag Detectable Yellow Safety Tape	1	1





HEARTHMASTERTM





Pro-Flex[™]
Traditional CSST

FlakJacket™ Arc-resistant CSST

Hearth MasterTM
Fireplace Keys, Flanges
Bars and Valves

Pro-PolyTM
Inderground Gas
Piping System



Hearth MasterTM, formerly by Sioux Chief-

Fireplace Accessories



Valve Kits

NEW!) 3/4" Straight & Angle Log Lighter Valves!

	PART#	DESCRIPTION	Min. Order Qty	Case Qty
	PF-952	1/2" Angle Ball Valve Bagged Kit - w/ Chrome Plated Zinc Flange & Short Key	10	10
	PF-952-KIC	1/2" Angle Ball Valve BOXED Kit - w/ Black Plated Zinc Flange & Short Key	6	6
	PF-952-NIC	1/2" Angle Ball Valve BOXED Kit - w/ Brushed Nickel Plated Zinc Flange & Short Key	6	6
NEW!	PF-972	3/4" Angle Ball Valve Bagged Kit - w/ Chrome Plated Zinc Flange & Short Key	10	10
NEW!	PF-972-K	3/4" Angle Ball Valve Bagged Kit - w/ Black Plated Zinc Flange & Short Key	10	10
NEW!	PF-972-N	3/4" Angle Ball Valve Bagged Kit - w/ Brushed Nickel Plated Zinc Flange & Short Key	10	10
	PF-954	1/2" Straight Ball Valve Bagged Kit - w/ Chrome Plated Zinc Flange & Short Key	10	10
	PF-954-KIC	Straight Ball Valve BOXED Kit - w/ Black Plated Zinc Flange & Short Key	6	6
	PF-954-NIC	Straight Ball Valve BOXED Kit - w/ Brushed Nickel Plated Zinc Flange & Short Key	6	6
NEW!	PF-974	3/4" Straight Valve Bagged Kit - w/ Chrome Plated Zinc Flange & Short Key	10	10
NEW!	PF-974-K	3/4" Straight Ball Valve Bagged Kit - w/ Black Plated Zinc Flange & Short Key	10	10
NEW!	PF-974-N	3/4" Straight Ball Valve Bagged Kit - w/ Brushed Nickel Plated Zinc Flange & Short Key	10	10

^{*}See page 6 for the Angle Bracket with Fitting. This provides support for the valve when connecting with Pro-Flex CSST.

Valve Kits w/ Log Lighter

PART#	DESCRIPTION	Min. Order Qty	Case Qty
PF-953	Angle Ball Valve Kit - w/ 940-10 NG LL Bar, Chrome Plated Zinc Flange & Short Key	6	6
PF-956L	Angle Ball Valve Kit - w/ 941-L2 LP LL Bar, Chrome Plated Zinc Flange & Short Key	6	6
PF-953-K	Angle Ball Valve Kit - w/ 940-10 NG LL Bar, Black Plated Flange & Short Key	6	6
PF-956L-K	Angle Ball Valve Kit - w/ 941-L2 LP LL Bar, Black Plated Flange & Short Key	6	6
PF-953-N	Angle Ball Valve Kit - w/ 940-10 NG LL Bar, Brushed Nickel Plated Flange & Short Key	6	6
PF-956L-N	Angle Ball Valve Kit - w/ 941-L2 LP LL Bar, Brushed Nickel Plated Flange & Short Key	6	6
PF-955	Straight Ball Valve Kit - w/ 940-10 NG LL Bar, Chrome Plated Zinc Flange & Short Key	6	6
PF-957L	Straight Ball Valve Kit - w/ 941-L2 LP LL Bar, Chrome Plated Zinc Flange & Short Key	6	6
PF-955-K	Straight Ball Valve Kit - w/ 940-10 NG LL Bar, Black Plated Flange & Short Key	6	6
PF-957L-K	Straight Ball Valve Kit - w/ 941-L2 LP LL Bar, Black Plated Flange & Short Key	6	6
PF-955-N	Straight Ball Valve Kit - w/ 940-10 NG LL Bar, Brushed Nickel Plated Flange & Short Key	6	6
PF-957L-N	Straight Ball Valve Kit - w/941-L2 LP LL Bar, Brushed Nickel Plated Flange & Short Key	6	6

Bars, Valves, Flanges, Keys and Extensions

PART#	DESCRIPTION	Min. Order Qty	Case Qty	
PF-940-10	Natural Gas Log Lighter Bar - 3 FIP Inlets, 16 outlets (8 per side)		6	
PF-941-L2	Propane Log Lighter Bar	6	6	
PF-948	Chrome Plated Zinc Flange	12	12	
PF-948-K	Black Plated Zinc Flange	12	12	
PF-948-N	Brushed Nickel Plated Zinc Flange	12	12	
PF-949	Short Key - 3-1/4" long, 5/16" x 1/4" dual-socket, Chrome Plated Zinc	10	10	
PF-949-K				
PF-949-N Short Key - 3-1/4" long, 5/16" x 1/4" dual-socket, Brushed Nickel Plated Zinc PF-949-K09 Medium Key - 9-1/2" long, 5/16" x 1/4" dual-socket, Chrome Plated Zinc		10	10	
		10	10	
PF-949-K09-K	PF-949-K09-K Medium Key - 9-1/2" long, 5/16" x 1/4" dual-socket, Black Plated Zinc		10	
PF-949-K09-N Medium Key - 9-1/2" long, 5/16" x 1/4" dual-socket, Brushed Nickel Plated Zinc		10	10	
PF-949-K12			10	
PF-949-K12-K	Long Key - 12" long, 5/16" x 1/4" dual-socket, Black Plated Zinc	10	10	
PF-949-K12-N	Long Key - 12" long, 5/16" x 1/4" dual-socket, Brushed Nickel Plated Zinc	10	10	
PF-949-12	Extension Kit 5/16" Socket, 12" long with Alignment Bushings	1	10	
PF-949-21	Extension Kit 5/16" Socket, 21" long with Alignment Bushings	1	12	
PF-952-V	1/2" Bulk Angle Ball Valve Only	12	12	
PF-954-V	1/2" Bulk Straight Ball Valve Only			
PF-972-V	3/4" Bulk Angle Ball Valve Only	12	12	
PF-974-V	3/4" Bulk Angle Straight Ball Valve Only	12	12	

Please Note: Log Lighter Bars may not be connected directly to CSST



Black Coated Gas Connectors (fireplaces, gas logs)

	PART #	TUBE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
NEW!	PFAC-14K-22-18	1/4" ID (3/8 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 18" long-Black	25	25
NEW!	PFAC-14K-22-24	1/4" ID (3/8 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 24" long-Black	25	25
NEW!	PFAC-14K-22-36	1/4" ID (3/8 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 36" long-Black	25	25
NEW!	PFAC-38K-22-18	3/8" ID (1/2 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 18" long-Black	25	25
NEW!	PFAC-38K-22-24	3/8" ID (1/2 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 24" long-Black	25	25
NEW!	PFAC-38K-22-36	3/8" ID (1/2 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 36" long-Black	25	25





Tools & Accessories



Pro-Flex[™]
Traditional CSST

FlakJacket™ Arc-resistant CSST HearthMasterTM
Fireplace Keys, Flanges
Bars and Valves

Pro-PolyTM
Underground Gas
Pining System





NEW!

2 PSI Line Pressure Regulators

3	PART#	TUBE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
	PFMR-3253L	1/2"	Maxitrol Regulator (LP)	1	1
	PFMR-3253N	1/2"	Maxitrol Regulator (Natural Gas)	1	1
	PFMR-3255L	3/4"	Maxitrol Regulator (LP)	1	1
	PFMR-3255N	3/4"	Maxitrol Regulator (Natural Gas)	1	1
NEW!	PFRG2-0212L	1/2"	OARA Regulator (LP)	1	1
NEW!	PFRG2-0212N	1/2"	OARA Regulator (Nat. Gas)	1	1
NEW!	PFRG2-0234L	3/4"	OARA Regulator (LP)	1	1
NEW!	PFRG2-0234N	3/4"	OARA Regulator (Nat. Gas)	1	1



Grill Kits

PART #	TUBE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
PFBBQ-2016	1/2"	Stainless Steel Grill Convenience Outlet Kit NG or LP - 1/2" FIP inlet w/ connector [3/8" ID x 3/8" Male QD Plug x 3/8" Flare Swivel x 10']	1	1



Tools

PART#	DESCRIPTION	Min. Order Qty	Case Qty
PFTC-01P	Pro-Flex CSST Tubing Cutter. For use on diameters 3/8"-1"	1	1
PFTC2-02P	Pro-Flex Large Diameter CSST Tube Cutter- OD Cutting Wheel (Up to 1 1/4")	1	1
PFTC-RBP	1 Pack Replacement Blades for Pro-Flex Tube Cutter (Compatable with PFTC-01P and PFTC-02P)	1	1
PEPC-01P	Polyethylene Tubing Cutter	1	1



Test Gauges

PART#	TUBE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
PFTG-B1230C	1/2"	0-30 PSI - Bell Reducer	6	6
PFTG-B1260C	1/2"	0-60 PSI - Bell Reducer	6	6
PFTG-B3430C	3/4"	0-30 PSI - Bell Reducer	6	6
PFTG-B3460C	3/4"	0-60 PSI - Bell Reducer	6	6
PFTG-B0130C	1"	0-30 PSI - Bell Reducer	6	6
PFTG-B0160C	1"	0-60 PSI - Bell Reducer	6	6
PFTG-H1230C	1/2"	0-30 PSI - Chrome Hex	6	6
PFTG-H1260C	1/2"	0-60 PSI - Chrome Hex	6	6
PFTG-H3430C	3/4"	0-30 PSI - Chrome Hex	6	6
PFTG-H3460C	3/4"	0-60 PSI - Chrome Hex	6	6
PFTG-H0130C	1"	0-30 PSI - Chrome Hex	6	6
PFTG-H0160C	1"	0-60 PSI - Chrome Hex	6	6







FIP x FIP Gas Valves

PART #	DESCRIPTION	Min. Order Qty	Case Qty
PFGV-F38C	Valve 3/8" FIP x FIP	5	5
PFGV-F12C	Valve 1/2" FIP x FIP	5	5
PFGVO-F12C	Valve 1/2" FIP x FIP (one piece)	10	10
PFAV-F12	Angle Valve 1/2" FIP x FIP	10	10
PFGVO-F34C	Valve 3/4" FIP x FIP	5	5
PFAV-F34	Angle Valve 3/4" FIP x FIP	10	10
PFGV-F12Q	Valve 1/2" FIP x FIP w/ square handle	10	10
PFGV-F12S	Valve 1/2" FIP x FIP w/ side port	10	10
PFGV-F34S	Valve 3/4" FIP x FIP w/ side port	10	10
PFGV-F01TC	Valve 1" FIP x FIP tee valve	3	3

FIP x Flare Gas Valves



PART # DESCRIPTION		Min. Order Qty	Case Qty
PFGVO-FFL1212	Valve 1/2" FIP x 1/2" Flare (one piece)	10	10
PFGVO-FFL120916	Valve 1/2" FIP x 9/16" Flare (one piece)	10	10
PFGV-FFL121516	Valve 1/2" FIP x 15/16" Flare -For use with ½' ID appliance connectors	10	10
PFGV-FFL3458	Valve 3/4" FIP x 5/8" Flare	10	10
PFGV-FFL341516	Valve 3/4" FIP x 15/16" Flare For use with ½" ID appliance connectors	10	10
PFGVO-FFL1238	Valve 1/2" FIP x 3/8" Flare (one piece)	10	10



Flare x Flare Gas Valves

PFGV-FL38	Valve 3/8" Flare x Flare	10	10
PFGV-FL12	Valve 1/2" Flare x Flare	10	10
PFGV-FL12S	Valve 1/2" Flare x Flare w/ side port	10	10
PFGV-FL58	Valve 5/8" Flare x Flare	10	10



Pro-Flex™ Gas Valves

PART#	DESCRIPTION	Min. Order Qty	Case Qty
PFGV-PF12M	Valve 1/2" MIP x 1/2" CSST Direct Connect	10	10
PFGV-PF34M	Valve 3/4" MIP x 3/4" CSST Direct Connect	10	10



1/4" ID Heater Connector (Gas Logs, Space Heaters, Small BTU Appliances)

PART#	TUBE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
PFAC-14C-12-12	1/4" ID (3/8 OD)	3/8"MIP x 1/2" MIP / 3/8" FIP x 12" long-Yellow	25	25
PFAC-14C-12-18	1/4" ID (3/8 OD)	3/8"MIP x 1/2" MIP / 3/8" FIP x 18" long-Yellow	25	25
PFAC-14C-12-24	1/4" ID (3/8 OD)	3/8"MIP x 1/2" MIP / 3/8" FIP x 24" long-Yellow	25	25
PFAC-14C-12-30	1/4" ID (3/8 OD)	3/8"MIP x 1/2" MIP / 3/8" FIP x 30" long-Yellow	25	25
PFAC-14C-12-36	1/4" ID (3/8 OD)	3/8"MIP x 1/2" MIP / 3/8" FIP x 36" long-Yellow	25	25
PFAC-14C-12-48	1/4" ID (3/8 OD)	3/8"MIP x 1/2" MIP / 3/8" FIP x 48" long-Yellow	25	25
PFAC-14C-22-12	1/4" ID (3/8 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 12" long-Yellow	25	25
PFAC-14C-22-18	1/4" ID (3/8 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 18" long-Yellow	25	25
PFAC-14C-22-24	1/4" ID (3/8 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 24" long-Yellow	25	25
PFAC-14C-22-30	1/4" ID (3/8 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 30" long-Yellow	25	25
PFAC-14C-22-36	1/4" ID (3/8 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 36" long-Yellow	25	25
PFAC-14C-22-48	1/4" ID (3/8 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 48" long-Yellow	25	25
PFAC-14C-25-12	1/4" ID (3/8 OD)	1/2"MIP / 3/8" FIP x 1/2" FIP x 12" long-Yellow	25	25
PFAC-14C-25-18	1/4" ID (3/8 OD)	1/2"MIP / 3/8" FIP x 1/2" FIP x 18" long-Yellow	25	25
PFAC-14C-25-24	1/4" ID (3/8 OD)	1/2"MIP / 3/8" FIP x 1/2" FIP x 24" long-Yellow	25	25
PFAC-14C-25-30	1/4" ID (3/8 OD)	1/2"MIP / 3/8" FIP x 1/2" FIP x 30" long-Yellow	25	25
PFAC-14C-25-36	1/4" ID (3/8 OD)	1/2"MIP / 3/8" FIP x 1/2" FIP x 36" long-Yellow	25	25
PFAC-14C-25-48	1/4" ID (3/8 OD)	1/2"MIP / 3/8" FIP x 1/2" FIP x 48" long-Yellow	25	25



3/8" ID Dryer Connector (Dryer, Larger Gas Logs)

PART #	TUBE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
PFAC-38C-12-12	3/8" ID (1/2 OD)	3/8"MIP x 1/2" MIP / 3/8" FIP x 12" long-Yellow	25	25
PFAC-38C-12-18	3/8" ID (1/2 OD)	3/8"MIP x 1/2" MIP / 3/8" FIP x 18" long-Yellow	25	25
PFAC-38C-12-24	3/8" ID (1/2 OD)	3/8"MIP x 1/2" MIP / 3/8" FIP x 24" long-Yellow	25	25
PFAC-38C-12-30	3/8" ID (1/2 OD)	3/8"MIP x 1/2" MIP / 3/8" FIP x 30" long-Yellow	25	25
PFAC-38C-12-36	3/8" ID (1/2 OD)	3/8"MIP x 1/2" MIP / 3/8" FIP x 36" long-Yellow	25	25
PFAC-38C-12-48	3/8" ID (1/2 OD)	3/8"MIP x 1/2" MIP / 3/8" FIP x 48" long-Yellow	25	25
PFAC-38C-12-60	3/8" ID (1/2 OD)	3/8"MIP x 1/2" MIP / 3/8" FIP x 60" long-Yellow	12	12
PFAC-38C-12-72	3/8" ID (1/2 OD)	3/8"MIP x 1/2" MIP / 3/8" FIP x 72" long-Yellow	12	12
PFAC-38C-22-12	3/8" ID (1/2 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 12" long-Yellow	25	25
PFAC-38C-22-18	3/8" ID (1/2 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 18" long-Yellow	25	25
PFAC-38C-22-24	3/8" ID (1/2 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 24" long-Yellow	25	25
PFAC-38C-22-30	3/8" ID (1/2 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 30" long-Yellow	25	25
PFAC-38C-22-36	3/8" ID (1/2 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 36" long-Yellow	25	25
PFAC-38C-22-48	3/8" ID (1/2 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 48" long-Yellow	25	25
PFAC-38C-22-60	3/8" ID (1/2 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 60" long-Yellow	12	12
PFAC-38C-22-72	3/8" ID (1/2 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 72" long-Yellow	12	12
PFAC-38C-25-12	3/8" ID (1/2 OD)	1/2"MIP / 3/8" FIP x 1/2" FIP x 12" long-Yellow	25	25
PFAC-38C-25-18	3/8" ID (1/2 OD)	1/2"MIP / 3/8" FIP x 1/2" FIP x 18" long-Yellow	25	25
PFAC-38C-25-24	3/8" ID (1/2 OD)	1/2"MIP / 3/8" FIP x 1/2" FIP x 24" long-Yellow	25	25
PFAC-38C-25-30	3/8" ID (1/2 OD)	1/2"MIP / 3/8" FIP x 1/2" FIP x 30" long-Yellow	25	25
PFAC-38C-25-36	3/8" ID (1/2 OD)	1/2"MIP / 3/8" FIP x 1/2" FIP x 36" long-Yellow	25	25
PFAC-38C-25-48	3/8" ID (1/2 OD)	1/2"MIP / 3/8" FIP x 1/2" FIP x 48" long-Yellow	25	25
PFAC-38C-25-60	3/8" ID (1/2 OD)	1/2"MIP / 3/8" FIP x 1/2" FIP x 60" long-Yellow	12	12
PFAC-38C-25-72	3/8" ID (1/2 OD)	1/2"MIP / 3/8" FIP x 1/2" FIP x 72" long-Yellow	12	12



1/2" ID Range Connector (Range, Furnace)

	PART # TUBE SIZE		DESCRIPTION	Min. Order Qty	Case Qty
	PFAC-12C-22-12	1/2" ID (5/8 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 12" long-Yellow	25	25
	PFAC-12C-22-18	1/2" ID (5/8 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 18" long-Yellow	25	25
	PFAC-12C-22-24	1/2" ID (5/8 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 24" long-Yellow	25	25
	PFAC-12C-22-30	1/2" ID (5/8 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 30" long-Yellow	25	25
	PFAC-12C-22-36	1/2" ID (5/8 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 36" long-Yellow	25	25
	PFAC-12C-22-48	1/2" ID (5/8 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 48" long-Yellow	25	25
	PFAC-12C-22-60	1/2" ID (5/8 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 60" long-Yellow	12	12
	PFAC-12C-22-72	1/2" ID (5/8 OD)	1/2"MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 72" long-Yellow	12	12
	PFAC-12C-23-12	1/2" ID (5/8 OD)	1/2"MIP / 3/8" FIP x 3/4" MIP / 1/2" FIP x 12" long-Yellow	25	25
	PFAC-12C-23-18	1/2" ID (5/8 OD)	1/2"MIP / 3/8" FIP x 3/4" MIP / 1/2" FIP x 18" long-Yellow	25	25
	PFAC-12C-23-24	1/2" ID (5/8 OD)	1/2"MIP / 3/8" FIP x 3/4" MIP / 1/2" FIP x 24" long-Yellow	25	25
	PFAC-12C-23-30	1/2" ID (5/8 OD)	1/2"MIP / 3/8" FIP x 3/4" MIP / 1/2" FIP x 30" long-Yellow	25	25
	PFAC-12C-23-36	1/2" ID (5/8 OD)	1/2"MIP / 3/8" FIP x 3/4" MIP / 1/2" FIP x 36" long-Yellow	25	25
	PFAC-12C-23-48	1/2" ID (5/8 OD)	1/2"MIP / 3/8" FIP x 3/4" MIP / 1/2" FIP x 48" long-Yellow	25	25
	PFAC-12C-23-60	1/2" ID (5/8 OD)	1/2"MIP / 3/8" FIP x 3/4" MIP / 1/2" FIP x 60" long-Yellow	12	12
	PFAC-12C-23-72	1/2" ID (5/8 OD)	1/2"MIP / 3/8" FIP x 3/4" MIP / 1/2" FIP x 72" long-Yellow	12	12
IEW!	PFAC-12C-34-12	1/2" ID (5/8 OD)	3/4"MIP / 1/2" FIP x 3/4" FIP x 12" long-Yellow	25	25
IEW!	PFAC-12C-34-18	1/2" ID (5/8 OD)	3/4"MIP / 1/2" FIP x 3/4" FIP x 18" long-Yellow	25	25
IEW!	PFAC-12C-34-24	1/2" ID (5/8 OD)	3/4"MIP / 1/2" FIP x 3/4" FIP x 24" long-Yellow	25	25
IEW!	PFAC-12C-34-30	1/2" ID (5/8 OD)	3/4"MIP / 1/2" FIP x 3/4" FIP x 12" long-Yellow	25	25
IEW!	PFAC-12C-34-36	1/2" ID (5/8 OD)	3/4"MIP / 1/2" FIP x 3/4" FIP x 12" long-Yellow	25	25
IEW!	PFAC-12C-34-48	1/2" ID (5/8 OD)	3/4"MIP / 1/2" FIP x 3/4" FIP x 12" long-Yellow	25	25
VEW!	PFAC-12C-34-60	1/2" ID (5/8 OD)	3/4"MIP / 1/2" FIP x 3/4" FIP x 12" long-Yellow	12	12
IEW!	PFAC-12C-34-72	1/2" ID (5/8 OD)	3/4"MIP / 1/2" FIP x 3/4" FIP x 12" long-Yellow	12	12
EW!	PFAC-12C-24-48	1/2" ID (5/8 OD)	1/2"MIP / 3/8" FIP x 3/4" FIP x 48" long-Yellow	25	25
IEW!	PFAC-12C-24-60	1/2" ID (5/8 OD)	1/2"MIP / 3/8" FIP x 3/4" FIP x 60" long-Yellow	12	12

Highlighted items represent commonly used sizes



NEW!

3/4" ID Special Application Connector

ITankless Water Heaters, Commercial Appliances

PART#	TUBE SIZE	DESCRIPTION	Min. Order Qty	Case Qty
PFAC-34C-34-18	3/4" ID (7/8" OD)	3/4"MIP / 1/2" FIP x 3/4" FIP x 18" long-Yellow	25	25
PFAC-34C-34-24	3/4" ID (7/8" OD)	3/4"MIP / 1/2" FIP x 3/4" FIP x 24" long-Yellow	25	25
PFAC-34C-34-36	3/4" ID (7/8" OD)	3/4"MIP / 1/2" FIP x 3/4" FIP x 36" long-Yellow	25	25

Sizing Charts

Model	I.D.	1 ft.	1.5 ft.	2 ft.	2.5 ft.	3 ft.	4 ft.	5 ft.	6 ft.
ID-1/4	1/4"	48,000	43,800	40,000	36,400	33,400	28,900	24,900	23,100
ID-3/8	3/8"	102,000	93,100	85,000	77,100	71,000	60,500	53,200	49,100
ID-1/2	1/2"	180,00	164,000	150,000	136,000	125,000	106,000	93,200	86,000
ID-3/4	3/4"	N/A	310,00	290,000	270,000	255,900	235,000	197,000	173,900

General Conditions & Limitations

The obligation of Pro-FlexTM, LLC pursuant to the warranty is limited, at Pro-Flex's discretion, to: (a) making a replacement component part available, (b) the repair of the defective component part, or (c) the refund of the purchase price. Pro-FlexTM shall have no obligation for the furnishing of any labor involved or connected therewith such as the labor required to diagnose trouble or to remove or install any such product, nor does it include responsibility for any transportation expenses, or any damages or losses incurred in the transportation in connection therewith.

Pro-Flex™ shall in no event be liable for other losses, damages, costs, or expenses claimed by anyone, whether direct or indirect, and whether arising in contract or tort, including loss from failure of the product to operate for any period of time, and all other direct, indirect, special, incidental or consequential damages, including all personal injury and property damage.

The forgoing limited warranty is in lieu of all other warranties by Pro-Flex[™], LLC, express, statutory, or implied by law. Without limiting the generality of the foregoing, Pro-Flex[™] makes no warranty of merchantability or fitness of the product for any particular purpose. Pro-Flex[™] neither assumes nor authorizes any person to assume Pro-Flex[™] any other obligation with the sale of the hereinabove referenced product.

All invoices will be dated the day of the shipment. Invoice terms are noted on the New Vendor Information Sheet, F.O.B. Hillsboro, IN or else otherwise stated. Please pay from the invoice - no monthly statement will be sent.

Minimum order requirement of \$100.00 net. Less than minimum orders subject to a \$25.00 service charge.

Returned Goods Policy

- All shipments returned to Pro-Flex[™] must have prior approval from the Sales Department.
- A Return Merchandise Authorization number (RMA) will be assigned.
- A 25% restocking charge will be applied on authorized returned product.
- · Return Freight must be pre-Paid.
- Material being returned must be in full-case quantities.
- Original Purchase Order, or corresponding numbers, must be referenced.
- · Original purchase must have been within one year of RMA request.
- Mark Return with RMA number to assure proper account is credited.
- Return to: Pro-Flex, LLC, 501 S. State Road 341, Hillsboro, IN 47949
- Material must be received within 30 days of RMA issue date.
- · Credit to be issued for Future Purchases, meaning we will not accept any short-paid invoices.

Limited Warranty

Subject to the terms and conditions contained in this Limited Warranty, Pro-Flex, LLC, warrants to the original purchaser of Pro-Flex™ Gas Piping System that such product will be free from any defect in material and workmanship for a period of one (1) year from the date of installation. Should any such defects be discovered within one (1) year from the date of installation by a Pro-Flex Qualified Installer the product in question shall be returned to Pro-Flex, LLC at: 501 S. State Road 341, Hillsboro, IN 47949, 877-798-6291. If upon inspection Pro-Flex, LLC determines the part to be defective in material or workmanship, then Pro-Flex, LLC will furnish a replacement, or at its option, repair the defective part. This warranty does not include the cost of labor for removing and replacing or repairing the defective part nor does it cover the cost of transporting the materials.

This warranty shall not apply to any component part of the gas piping system product if it has been installed, altered, modified, repaired or misused, through negligence or otherwise, in a way that in the opinion of Pro-Flex, LLC affects the reliability of, or detracts from the performance of the product. This limited warranty does not cover defects or damage resulting from abuse, neglect, lack of reasonable care, modification or attachment of improper components or devices to this product. Nor does this limited warranty cover replacements or repairs necessitated by loss or damage resulting from any cause beyond the control of Pro-Flex, LLC including, but not limited to acts of God, acts of government, floods, and fires.



TUBING

Coils and Spools (various lengths)









FITTINGS

Union, Male, Female, Manifolds, Tees, Termination Plates









VALVES

One-Piece, Full Line,
Direct Connect, Access Boxes









SAFETY DEVICES

Bonding Clamps, Conduit and Plates







ACCESSORIES

Accessory Packs, Kits and Regulators







LOG LIGHTER ACCESSORIES

Keys, Bars, Flanges and Valves







CONNECTORS

Coated Appliance Connectors and Grill Kits





UNDERGROUND GAS DISTRIBUTION

Pipe, Risers, Fittings, and Accessories







Rev. 030123